



Thermo Scientific
Multidrop Combi reagent dispenser



ultimate versatility

for reagent dispensing

Thermo
SCIENTIFIC

Thermo Scientific Multidrop Combi - ultimate versatility for bulk reagent dispensing

The Thermo Scientific Multidrop Combi reagent dispenser offers unrivalled levels of performance, versatility and simplicity for pharmaceutical and biotech laboratories. Based on the proven and highly reliable Multidrop® range, Multidrop Combi dispenser has been designed for effortless high-speed dispensing of different types of solutions. For high-throughput screening, Multidrop Combi dispenser dispenses into 1536-well plates at nanoliter levels with minimal dead volume. At the other end of the scale, being able to dispense at volumes up to 2500 µl offers biotech researchers a wide range of applications. Add full robotic capability, and the Multidrop Combi dispenser is your answer for problem-free, high-throughput bulk dispensing.

Multidrop Combi reagent dispenser offers you:

- Unmatched volume range – precise dispensing over a 0.5-2500 µl range, giving reproducible assay data
- Any plate, any well size – from 6 to 1536 wells and plate heights of 5 to 50 mm – the Multidrop Combi dispenser is perfect for any application
- Simplest operation – the visual icon-based graphic display makes it easy to use and program, even without training
- Reduced reagent costs – low volume dispensing, minimal dead volume and back-flushing minimizes re-runs and usage of expensive reagents
- Unique cassette lifetime traceability – Multidrop Combi dispenser, equipped with the SMART option, counts how many times the dispensing cassette is used
- Increased functionality -- easy-to-use Thermo Scientific FILLit Software provides means to develop and transfer protocols into the instrument, as well as offering an extensive plate selection
- High-throughput, 24/7 operation – full robotic compatibility gives increased throughput, backed up by the reliability of the Multidrop technology – proven in use with over 9,000 units installed worldwide

Total flexibility

From 6 to 1536 wells, the Multidrop Combi dispenser is capable of dispensing into a full range of plates, with automated dispensing-height adjustment for low-profile to deep-well plates, it offers complete flexibility for any dispensing application. The small footprint enables Multidrop Combi dispenser to fit into laminar cabinets and together with the extensive dispensing volumes, versatile column selection and dispensing speed options, the Multidrop Combi dispenser is ideal for all pharmaceutical and biotech researchers.



Extensive applications

- Assay development
- Primary and secondary screening
- Compound storage
- Genomics and proteomics research
 - PCR setup
 - Sequencing setup
- Cell-based assays
- ELISA assays

Wide range of solutions


- Buffers
- Reagents
- Diluents
- Solvents
- Viscous solutions - detergents and substrates
- Cells
- Beads

Precise dispensing

Multidrop Combi dispenser utilizes the peristaltic pump technology and unique Multidrop dispensing cassettes to ensure absolute precision across an unrivalled volume range. CV's of <10 % at 0.5 μ l will empower drug discovery teams to design new high-throughput assays on 1536-well plates. Similarly, dispensing up to 2,500 μ l is ideal for some delicate cell-based assays. Dead volumes are minimized at all settings. A wide range of dispensing speeds is also possible and up to eight different solutions can be dispensed simultaneously. The possibility to adjust different volumes for each individual column enables the user to fill the plate with different dilutions of the same reagent. Overall result? A steady flow of highly reproducible, meaningful data, leading to real increases in productivity.

Easy to use

Through the simple and visual interface, Multidrop Combi enables users to take full advantage of its technical advances. Descriptive icons make it easy to change all dispensing parameters for customized work – such as pump speed, tip height, offset values, dispensing direction, etc. – or go straight to pre-set protocols. The users can also store their own protocols in the instrument memory, from which they can be launched in seconds. In all cases, the intuitive interface means that little or no training is required, so productivity is raised. The FILLit Software, which comes with the instrument, increases the functionality of the Multidrop Combi dispenser.




Dispensing precision (CV%) with 0.5–50 μ l. Different volumes of 0.04 M fluorescein was dispensed into black Thermo Scientific 384-Well Microtiter Microplates and measured at Ex485/Em518 nm.

Autoclavable dispensing cassettes and reagent back-flushing


To ensure sterile conditions and avoid cross contamination, the Multidrop Combi dispenser uses 8-channel detachable and autoclavable dispensing cassettes that are standard across the Multidrop range. Cassettes are selected according to the dispense volumes and user preference, and changed in seconds. Back-flushing of tubing and the Multidrop Combi dispenser's negligible dead volumes minimize expensive reagent loss. Together with robotic integration, this ease of use provides hassle-free, low-cost and uninterrupted operation. Daily maintenance is quick due to the easy-clean design of the unit, which allows access under the plate carrier.

Full robotic compatibility


Multidrop Combi dispenser can increase productivity as a stand-alone instrument. However, when users take advantage of its full robotic compatibility, the real benefits become clear. The dispenser's plate carrier is optimized for easy plate access by robotic arm grippers, linked via either the RS-232 serial or USB port. Furthermore, Thermo Scientific RapidStak stacker can be added to create a complete benchtop solution for automated bulk reagent dispensing.



The autoclavable Multidrop dispensing cassettes come with different tubing size, and tip material and size. Choose between standard and small tube cassettes, or SMART versions of these, which store dispensing lifetime data.



Multidrop Combi's highly visual user interface helps you quickly start dispensing by enabling customized settings.



RapidStak™ with Multidrop Combi dispenser creates a complete benchtop solution for automated bulk reagent dispensing.

Technical specifications

Plate types	6-, 12-, 24-, 48-, 96-, 384-, 1536-well plates (plate height 5-50 mm)	
Dispensing volume range	0.5- 2500 µl	
Dispensing precision (CV%)	Small tube dispensing cassette 0.5µl: CV≤10% 2 µl: CV≤ 5% 10 µl: CV≤ 3% >10 µl: CV≤ 3%	Standard tube dispensing cassette 5 µl: CV≤ 10% 20 µl: CV≤ 1.5% 100 µl: CV≤ 1% >100 µl: CV≤ 1%
Dispensing accuracy	Small tube dispensing cassette 2 µl: ± 10% (typical) 10 µl: ± 5% (typical), > 10 µl: ± 5% (typical)	Standard tube dispensing cassette 5 µl: ± 3% (typical) 20 µl: ± 2% (typical) 100 µl: ± 1% (typical) > 100 µl: ± 1% (typical)
Dispensing speed	96-well plate: 10µl in 3 seconds, 20µl in 4 s., 100µl in 10 s. 384-well plate: 1µl in 5 s., 5µl in 5 s., 10µl in 6 s., 20µl in 9 s. 1536-well plate: 1µl in 14 s., 5µl in 26 s.	
Dispensing increments	Small tube dispensing cassette: 0.5µl increments Stand tube dispensing cassette: 5µl increments	
Dead volume	< 1 ml vol range 0.5-50 µl < 7 ml vol range > 50 µl	
Interface	Serial RS-232, USB	
Overall dimensions	220(H) x 355(W) x 330(D) mm 8.6(H) x 14(W) x 12.9(D) in.	
Weight	9.1 kg (20.1 lbs.)	
Power requirements	100-240 Vac, 50/60 Hz, nominal	

Ordering information

5840300	Multidrop Combi, 100-240 V 50/60 Hz
5840310	Multidrop Combi with SMART option, 100-240 V 50/60 Hz Includes cassette lifetime traceability feature
5188010	FILLit Software for Multidrop Combi
24073290	Small tube plastic tip dispensing cassette (for volumes 0.5-50µl)
24073293	Long small tube plastic tip dispensing cassette (for volumes 0.5-50µl)
24073295	Small tube metal tip dispensing cassette (for volumes 0.5-50µl)
24073298	Long small tube metal tip dispensing cassette (for volumes 0.5-50µl)
24073291	Small tube plastic tip dispensing cassette 5-pack
24073296	Small tube metal tip dispensing cassette 5-pack
24072670	Standard tube dispensing cassette (for volumes 5-2500µl)
24072671	Standard tube dispensing cassette 5-pack
24072672	Standard tube dispensing cassette 10-pack
24072677	Long standard tube dispensing cassette (length of tubing 50-200 cm in 10 cm increments)

© 2011 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific Inc. and its subsidiaries. Specifications, terms and pricing are subject to change. Not all products are available in all countries. Please consult your local sales representative for details.

North America: USA/Canada 800 345 0206 or 800 522 7763 3

Europe: Austria +43 1 801 40 0, Belgium +32 53 73 42 41, France +33 2 2803 2180, Germany national toll free 08001-536 376, Germany international +49 6184 90 6000, Italy +39 02 02 95059 552, Netherlands +31 76 571 4440, Nordic/Baltic countries +358 9 329 100, Russia/CIS +7 (495) 739 76 41, Spain/Portugal +34 93 223 09 18, Switzerland +41 44 454 12 12, UK/Ireland +44 870 609 9203 or 44 (0) 161 486 2110

Asia: China +86 21 6865 4588 or +86 10 8419 3588, India toll free 1800 22 8374, India +91 22 6716 2200, Japan +81 45 453 9220, Other Asian countries +852 2885 4613 **Countries not listed:** +49 6184 90 6940 or +33 2 2803 2180

www.thermoscientific.com/multidrop

BRALUCOMBI1011
1516420

Thermo
SCIENTIFIC

Part of Thermo Fisher Scientific