Thermo Scientific Heraeus Pico and Fresco Microcentrifuge Series

# a new separation experience

25003410

biosafe instruction





## Thermo Scientific Heraeus Pico and Fresco

Our **Thermo Scientific Heraeus Pico and Fresco** microcentrifuges combine power, versatility and convenience in a safe, compact, easy-to-use lab instrument. Both the ventilated Heraeus<sup>®</sup> Pico<sup>®</sup> and the refrigerated Heraeus Fresco<sup>®</sup> microcentrifuges are designed to accelerate your routine sample preparation processes by providing high speed and generous capacity along with outstanding safety and convenience.

From the intuitive controls, to the innovative Thermo Scientific ClickSeal biocontainment lid, the Heraeus Pico and Fresco microcentrifuges deliver the perfect blend of capabilities to support your micro-volume protocols such as nucleic acid or protein lysate preparation and PCR reaction set up – all in a remarkably small footprint.



Highly visible display can be read across the lab.



## powerful, versatile, easy to use

Available in two speed options, the **Heraeus Pico and Fresco 17 microcentrifuges** are perfect for routine laboratory work, while the **Heraeus Pico and Fresco 21 microcentrifuges** are ideal for high-end research applications, reducing spin times by up to 20%.

Coupled with our extensive rotor selection, **achieve the speed and versatility** you need to carry out complex as well as simple protocols:

- Our standard rotor runs 24 tubes in a single row with equalized g-forces for reproducibility, from 1.5 to 2.0 mL tubes to mini-preps and spin columns
- A unique dual row rotor holds 18 x 1.5/2.0 mL and 18x 0.5 mL tubes, eliminating the need for adapters
- Special high-capacity rotors support 0.5 mL microtubes, 0.2 mL PCR tubes and hematocrit capillary tubes

#### Save time by processing samples faster

- Exceptional acceleration up to 21,100 xg in 12 seconds
- Refrigerated versions offer cooling in just nine minutes

Unique ClickSeal<sup>®</sup> biocontainment rotor lid "clicks" in place, providing **assurance that samples are securely contained**, and with one click opening, shortens retrieval time compared to screw-on lids

New PPSU lids have **improved strength and chemical resistance** compared with polycarbonate and metallic lids, and transparency enables viewing for added safety and convenience

**Quiet performance** (<56 dBA ventilated and <50 dBA refrigerated) provides a safe, stress-free environment

Intuitive controls and easy-to-read display simplifies operation

Highly resistant unit and rotor materials enables vigorous yet **easy cleaning** 

Conforms to the latest clinical and safety standards, including **In Vitro Diagnostics (IVD) compliance** 

# **Pico and Fresco**

















Unique dual row rotor eliminates adapters.

First in the industry ClickSeal biocontainment lids provide certified, ergonomic, one click rotor opening and closing.

24 spin columns in standard rotor with ClickSeal biocontainment lid





### Thermo Scientific Microcentrifuge Rotors and Accessories

| Description   | Rotor Capacity        | Max Tube<br>Dimensions | Max Speed<br>(rpm) | Max RCF<br>(xg) | Cat. No. |
|---|-----------------------|------------------------|--------------------|-----------------|----------|
| 24 x 1.5/2.0 mL rotor<br>with ClickSeal biocontainment lid<br>Standard rotor with exceptional versatility – 24 tubes per run<br>from basic microtube processing to mini-preps and spin<br>columns and additional flexibility with available adapters. | 24 x 1.5/2.0          | 11 x 50                | 14,800             | 21,100          | 75003424 |
| 0.5/0.6 mL microliter tube adapters, pack of 24   | 24 x 0.5/0.6          | 7 x 32                 | 14,800             | 21,100          | 76003758 |
| 0.25/0.4 mL microliter tube adapters, pack of 24  | 24 x 0.25/0.4         | 6 x 24                 | 14,800             | 21,100          | 76003759 |
| 0.2 mL PCR tube adapters, pack of 24  | 24 x 0.2              | 6 x 24                 | 14,800             | 21,100          | 76003750 |
| <b>36 x 0.5 mL rotor</b><br><b>with screw-on lid</b><br>Increase throughput for smaller microtubes.   | 36 x 0.5              | 7 x 32                 | 14,800             | 19,300          | 75003436 |
| <b>Dual Row rotor 18 x 2.0 /0.5 mL</b><br>with screw-on lid<br>Accommodate two different size tubes in one rotor.   | 18 x 2.0/<br>18 x 0.5 | 11 x 50                | 14,800             | 20,800          | 75003418 |
| <b>PCR 8 x 8 rotor</b><br><b>with screw-on lid</b><br>Centrifuge up to 8 PCR strips at one time.  | 64 x 0.2              | 6 x 24                 | 14,800             | 17,100          | 75003489 |
| PCR 4 x 8 rotor<br>with ClickSeal biocontainment lid<br>Process up to 4 PCR strips with certified sample protection.  | 32 x 0.2              | 6 x 24                 | 14,800             | 16,200          | 75003440 |
| Hematocrit rotor<br>Achieve capillary separations in less than 5 minutes with<br>included linear scale to read results.   | 24<br>Capillaries     |                        | 14,800             | 16,800          | 75003473 |
| Capillaries, pack of 100  | 24<br>Capillaries     |                        |                    |                 | 76000923 |
| Linear scale reading graph  |                       |                        |                    |                 | 76000938 |

\*Used with rotor 75003424 and rotor 75003440

| Replacement Lids                                    | Cat. No. |
|---|----------|
| ClickSeal biocontainment lid*                       | 75003410 |
| Replacement o-ring set for ClickSeal lid – 75003410 | 75003405 |
| Screw-on lid  | 75003406 |

#### Thermo Scientific Heraeus Pico and Fresco Microcentrifuges





| Specifications                  | Heraeus Pico and Fresco 17                                   | Heraeus Pico and Fresco 21 |  |  |  |
|---------------------------------|--|----------------------------|--|--|--|
| Max RCF                         | 17,000 xg  | 21,100 xg                  |  |  |  |
| Max Speed                       | 13,300 rpm   | 14,800 rpm                 |  |  |  |
| Max Noise Level                 | 56 dBA (ventilated), 50 dBA (refrigerated)                   |                            |  |  |  |
| Acceleration/Deceleration Rates | 8/9 seconds; 12/12 seconds <sup>1</sup>                      |                            |  |  |  |
| Time Set Range                  | 1 min - 99 min; 1 min increments + HOLD mode                 |                            |  |  |  |
| Temperature Range <sup>2</sup>  | Set from -9 °C to +40 °C per 1 °C increment                  |                            |  |  |  |
| Certifications                  | CSA certified, CE marked, IVD compliant, Certified Biosafety |                            |  |  |  |
| Technical Standards             | IEC 61010-1, IEC 61010-2, IEC 61010-020                      |                            |  |  |  |
| Dimensions, H x W x D           |  |                            |  |  |  |
| Heraeus Pico                    | 225 x 243 x 352 mm (8.86 x 9.56 x 13.8 in)                   |                            |  |  |  |
| Heraeus Fresco                  | 330 x 295 x 445 mm (12.9 x 11.6 x 17.5 in)                   |                            |  |  |  |

<sup>1</sup> In 120V models

<sup>2</sup> Heraeus Fresco only

IVD 🚯 CE 🚸

| Ordering Information   | 230V 50/60 Hz   | 120V 60 Hz | 230V 50/60 Hz     | 120V 60 Hz |
|--|-----------------|------------|-------------------|------------|
|  | Heraeus Pico 17 |            | Heraeus Fresco 17 |            |
| Heraeus microcentrifuge, includes 24 x 1.5/2.0 mL rotor with ClickSeal biocontainment lid  | 75002410        | 75002411   | 75002420          | 75002421   |
| Heraeus microcentrifuge, includes hematocrit rotor   | 75002491        | 75002492   | N/A               | N/A        |
|  | Heraeus Pico 21 |            | Heraeus Fresco 21 |            |
| Heraeus microcentrifuge, includes 24 x 1.5/2.0 mL rotor with ClickSeal biocontainment lid  | 75002415        | 75002416   | 75002425          | 75002426   |
| Heraeus microcentrifuge, includes 24 x 1.5/2.0 mL rotor with ClickSeal biocontainment lid and dual row 18 x 2.0/0.5 mL rotor with screw-on lid | 75002475        | 75002477   | 75002476          | 75002478   |

www.thermoscientific.com/microcentrifuge

Experience our complete line of Thermo Scientific micro-volume solutions and achieve the speed, capacity and versatility your protocols require – visit www.thermoscientific.com/microcentrifuge.



© 2012 Thermo Fisher Scientific Inc. All rights reserved. HERAEUS is a registered trademark of Heraeus Holding GmbH licensed to Thermo Fisher Scientific. All other trademarks used are the property of Thermo Fisher Scientific Inc. and its subsidiaries. Specifications, terms and pricing are subject to change. Not all products are available in all countries. Please consult your local sales representative for details.

North America: USA/Canada +1 866 984 3766 (866-9-THERMO)

 Europe:
 Austria +43 1 801 40 0, Belgium +32 53 73 42 41, France +33 2 2803 2180, Germany national toll free 08001-536 376,

 Germany international +49 6184 90 6940, Italy +39 02 95059 448, Netherlands +31 76 579 55 55, Nordic/Baltic/ClS countries +358 9 329 10200,

 Russia +7 812 703 42 15, Spain/Portugal +34 93 223 09 18, Switzerland +41 44 454 12 12, UK/Ireland +44 870 609 9203

 Asia:
 Australia +61 39757 4300, China +86 21 6865 4588 or +86 10 8419 3588, India toll free 1800 22 8374, India +91 22 6716 2200,

 Japan +81 45 453 9220, New Zealand +64 9 980 6700, Other Asian countries +852 2885 4613
 Countries not listed:
 +49 6184 90 6940



Part of Thermo Fisher Scientific